

## **UN38.3 Test Summary Report**

| Lithium cell or battery test summary in accordance with section 2.9.4 UN Model Regulations and sub-section 38.3 of Manual of Tests and Criteria, Part III, subsection 38.3.5   |                       |   |  |  |
|--|-----------------------|---|--|--|
| [a] Cell Battery Produkt  Tested Type Part #:  PA-N176.R001  Same Type Part #: as listed below   |                       | [d] Unique report ID: UN.PB.PA-N176.R001, UN38.3, Rev.6.1 [e] Date of test report: 2020-07-07 |  |  |
| [b] Manufacturer Fey Elektronik GmbH Storchenweg 3 21217 Seevetal Germany info@feyelektroni T. +49 40 703 8888-0 www.feyelektroni  |                       | Test Laboratory Fey Elektronik GmbH Storchenweg 3 21217 Seevetal Germany T. +49 40 703 8888-0 | info@feyelektronik.de<br>www.feyelektronik.de  |  |
| ☐ Same Type Part Numbers # (all):  |                       |   |  |  |
|  |                       |   |  |  |
| [f] (i) ☐ Lithium-ion ☑ Lithium-metal ☐ Cell ☑ Battery [f] (ii) Mass: approx. 59 g [f] (iii) ☐ Watt-hour rating: Whor ☑ Lithium content: 1.6 g   |                       |   |  |  |
| [f] (v) Model number(s): PA-N176.R001 Primary (non-rechargeable) Softcase-Pack with four cells in a two serial two parallel configuration and protective device. Nominal voltage: 6V, Nominal capacity: 2.4Ah typical Used and UN38.3-tested cell type: Panasonic, BR-2/3A |                       |   |  |  |
| Our batteries/products are manufactured according to a Quality-Management-System.  For further information visit our website.  |                       |   |  |  |
| [g] List of Tests Conducted  | Result (Pass / Fail / | N.A.) Remark  |  |  |
| 38.3.4.1 Test T.1: Altitude simulation   | Pass                  |   |  |  |
| 38.3.4.2 Test T.2: Thermal test  | Pass                  |   |  |  |
| 38.3.4.3 Test T.3: Vibration<br>38.3.4.4 Test T.4: Shock   |                       |   |  |  |
| 38.3.4.4 Test T.4: Shock   |                       |   |  |  |
| 38.3.4.5 Test T.5: External short circuit  | Pass                  | for call tection and  |  |  |
| 38.3.4.6 Test T.7: Overshame   | N.A.<br>N.A.          | for cell testing only   |  |  |
| 38.3.4.7 Test T.7: Overcharge 38.3.4.8 Test T.8: Forced discharge  | N.A.<br>N.A.          | n.a. for primary cel<br>for cell testing only   | The state of the s |  |
| [h] Battery assembly:  |                       | UN38.3.3 (g)  |  |  |

Important! The stated signatory affirms, that this document is a true and correct summary of the original individual tests and test data. The original test data is confidential information available to competent State Authorities with valid identification and only upon their formal request. Disclosure of the original test data to any other entity upon its request will be considered by Fey Elektronik and, should Fey Elektronik consider this request is with merit, may be subject to the prior execution of a nondisclosure agreement.

[i]



Test Reference: UN Manual of Tests and Criteria, Part III, sub-section 38.3, ST/SG/AC.10/11/Rev.6/Amend. 1

| [j] | Signatory<br>Name:<br>Title: | Date: 2020-07-07<br>Michael Witte<br>General Manager |
|-----|------------------------------|--|
| Sig | gnature:                     |  |

Fey Elektronik GmbH, Storchenweg 3, 21217 Seevetal, Germany

Tel.: +49 40 703 8888-0 www.feyelektronik.de